

## Literaturverzeichnis

Hamburger Ärzteblatt 09 | 2016

Seite 1

Weidestr. 122 b  
22083 Hamburg  
Redaktion  
E-Mail: verlag@aeckhh.de  
Tel.: (040) 20 22 99 – 205  
Fax: (040) 20 22 99 – 400

### S. 12 – 16: Aktuelle Behandlungskonzepte der pAVK Von Dr. Wolfgang Paul Tigges, Dr. Martin Münchow, Dr. Holger Lawall

1. GESUNDHEITSBERICHTERSTATTUNG DES BUNDES GEMEINSAM GETRAGEN VON RKI UND DESTATIS. Gesundheit in Deutschland Berlin, November 2015.
2. Diehm C, Schuster A, Allenberg H, et al. High prevalence of peripheral arterial disease and comorbidity in 6,880 primary care patients: cross sectional study. *Atherosclerosis* 2004;172:95-105.
3. Haverich A, Kreipe H.H. Ursachenforschung Arteriosklerose. Warum wir die KHK nicht verstehen; *Dt. Ärztebl*, Jg. 113, 10,2016, 358-361.
4. Fowkes GF et al. Comparison of prevalence and risk factors for periperal artery disease in 2000 and 2010: a systematic review and analysis. *Lancet* 2013;doi: 10.1016/S50140-6736.
5. Lipsky BA, Berendt AR, Cornia PB, Pile JC, Peters EJ, Armstrong DG, et al. *J Am Podiatr Med Assoc.* 2013, 103(1):2-7.
6. Mills JL Sr1, Conte MS2, Armstrong DG3, Pomposelli FB4, Schanzer A, Sidawy AN Andros G. *J Vasc Surg.* 2014, 59(1):220-34.
7. Khan NA, Rahim SA, Anand SS, et al. Does the Clinical Examination Predict Lower Extremity Peripheral Arterial Disease? *JAMA* 2006; 295: 536-546.
8. Golomb BA, Dang TT, Criqui MH. Peripheral arterial disease: morbidity and mortality implications. *Circulation* 2006; 114: 688-99.
9. Diehm C, Lange S, Darius H, et al. Association of low ankle brachial index with high mortality in primary care. *Eur Heart J* 2006; 27: 1743-9.
10. Diehm C, Allenberg JR, Pittrow D, et al. Mortality and vascular morbidity in older adults with asymptomatic versus symptomatic peripheral artery disease. *Circulation* 2009; 120: 2053-61.
11. Hoyer C, Sandermann J, Petersen LJ. The toe-brachial index in the diagnosis of peripheral arterial disease. *J Vasc Surg* 2013; 58: 231-8.
12. Spronk S, den Hoed PT, de Jonge LC, et al. Value of the duplex waveform at the common femoral artery for diagnosing obstructive aortoiliac disease. *J Vasc Surg* 2005; 42: 236-42; discussion 242.
13. Arsenault KA, McDonald J, Devvereaux PJ, et al. The use of transcutaneous oximetry to predict complications of chronic wound healing: a systematic review and meta-analysis. *Wound Repair Regen* 2011; 19: 657-63.
14. Collins R, Burch J, Cranny G, et al. Duplex ultrasonography, magnetic resonance angiography, and computed tomography angiography for diagnosis and assessment of symptomatic, lower limb peripheral arterial disease: systematic review. *BMJ* 2007; 334: 1257.
15. Schlager O, Francesconi M, Haumer M, et al. Duplex sonography versus angiography for assessment of femoropopliteal arterial disease in a „real-world“ setting. *J Endovasc Ther* 2007; 14: 452-9.
16. Bostrom A, Karacagil S, Lofberg AM, et al. Selection of patients with lower limb arterial occlusive disease for endovascular treatment of the iliac arteries with duplex scanning. *Vasc Surg* 2001; 35: 437-42.
17. Norgren L, Hiatt WR, Dormandy JA, Nehler MR, Harris KA, Fowkes FGR, on behalf of the TASC II Working Group Inter-Society Consensus for the Management of Peripheral Arterial Disease (TASC II) *EuropJVasc and Endovasc Surg* 2007 Volume 33, Issue 1, Supplement, Pages S1–S75.
18. Pereira CE, Albers M, Romiti M, Brochado-Neto FC, Pereira CA. Meta-analysis of femoropopliteal bypass grafts for lower extremity arterial insufficiency. *J Vasc Surg.* 2006 Sep;44(3):510-517.
19. M. Malyar N, Freisinger E, Meyborg M, Lüders F, Gebauer K,, et al. Amputations and mortality in patients with peripheral artery disease and diabetic foot syndrome in press.

## Literaturverzeichnis

Hamburger Ärzteblatt 09 | 2016

Seite 2

Weidestr. 122 b  
22083 Hamburg  
Redaktion  
E-Mail: verlag@aekhh.de  
Tel.: (040) 20 22 99 – 205  
Fax: (040) 20 22 99 – 400

20. Jongkind V, Akkersdijk GJ, Yeung KK, Wisselink W. A systemic review of endovascular treatment of extensive aorotiliac occlusive disease. JVasc Surg.2010; 52:1376-1383.
21. Dake MD, Ansel GM, Jaff MR, Ohki T, Saxon RR, Smouse HB, et al. Sustained safety and effectiveness of paclitaxel-eluting stents for femoropopliteal lesions: 2-year follow-up from the Zilver PTX randomized and single-arm clinical studies. J Am Coll Cardiol.2013 Jun 18;61(24):2417-27.
22. Tepe G, Laird J, Schneider P, Brodmann M, Krishnan P, Micari A, Metzger C, et al. IN.PACT SFA Trial Investigators Drug-coated balloon versus standard percutaneous transluminal angioplasty for the treatment of superficial femoral and popliteal peripheral artery disease: 12-month results from the IN.PACT SFA randomized trial. Circulation 2015 Feb 3;131(5):495-502.
23. Schillinger M, Sabeti S, Loewe C, Dick P, Amighi J, Mlekusch W, et al. Balloon angioplasty versus implantation of nitinol stents in the superficial femoral artery. N Engl J Med. 2006 May 4;354(18):1879-88.
24. Antoniou GA, Chalmers N, Georgiadis GS, Lazarides MK, Antoniou SA, Serracino-Inglott F, et al. A meta-analysis of endovascular versus surgical reconstruction of femoropopliteal arterial disease. J Vasc Surg 2013 Jan;57(1):242-53.
25. Schmidt A, Piorkowski M, Werner M, Ulrich M, Bausback Y, Bräunlich S, et al. First experience with drug-eluting balloons in infrapopliteal arteries: restenosis rate and clinical outcome. J Am Coll Cardiol. 2011 Sep 6;58(11):1105-9.
26. Jaff MR, White CJ, Hiatt WR, Fowkes GR, Dormandy J, Razavi M, et al. An update on Methods for Revascularization and Expansion of the TTASC Lesion Classification to Include Below-the-Knee Arteries: A supplement to the Inter-Society Consensus for the Management of Peripheral Arterial Disease (TASC II). JEndovasc Ther. 2015, 657-671.
27. Conte MS, Bandyk DF, Clowes AW, Moneta GL, Seely L, Lorenz TJ, et al. Results of PREVENT III: a multicenter, randomized trial of edifoligide for the prevention of vein graft failure in lower extremity bypass surgery. J Vasc Surg. 2006 Apr;43(4):742-751; discussion 751.
28. Albers M, Romiti M, Brochado-Neto FC, De Luccia N, Pereira CA. Meta-analysis of popliteal-to-distal vein bypass grafts for critical ischemia. J Vasc Surg. 2006 Mar;43(3):498-503
29. Richard F. Neville, MD, Anton N. Sidawy, MD, MPH. Surgical Bypass: When Is It Best and Do Angiosomes Play A Role? j.semvasc surg. 2012, 102-107.
30. Adam DJ, Beard JD, Cleveland T, Bell J, Bradbury AW, Forbes JF, et al. BASIL trial participants bypass versus angioplasty in severe ischaemia of the leg (BASIL): multicenter randomised controlled trial. Lancet. 2005; 366:1925-1934.

### S. 24 - 26: Neue Hausärzte für die Großstadt Hamburg *Von Dr. Detlef Niemann*

1. Zimmermann T, et al. In Korczak D (Hg.). Visionen statt Illusionen. Asanger Verlag Kröning, 2015.
2. Sondergutachten 2009 des Sachverständigenrats zur Begutachtung der Entwicklung im Gesundheitswesen.
3. Kopetsch T. Dem deutschen Gesundheitswesen gehen die Ärzte aus. KBV Berlin, 2010.
4. [http://www.degam.de/files/Inhalte/Degam-Inhalte/Ueber\\_uns/Positionspapiere/DEGAM\\_Stellungnahme\\_Medizinstudium\\_2020.pdf](http://www.degam.de/files/Inhalte/Degam-Inhalte/Ueber_uns/Positionspapiere/DEGAM_Stellungnahme_Medizinstudium_2020.pdf)
5. Blozik E, et al. Förderung des allgemeinmedizinischen Nachwuchses. Bundesgesundheitsbl. 2014; 57: 892-902.
6. [http://www.degam.de/files/Inhalte/Degam-Inhalte/Presse/Presseordner\\_2015/DEGAM-positionspapier\\_Kriterien%20fuer%20Kompetenzzentren%20Allgemeinmedizin.pdf](http://www.degam.de/files/Inhalte/Degam-Inhalte/Presse/Presseordner_2015/DEGAM-positionspapier_Kriterien%20fuer%20Kompetenzzentren%20Allgemeinmedizin.pdf)
7. <http://www.spiegel.de/wirtschaft/service/vermoegensrechner-einkommen-und-vermoegen-im-vergleich-a-931931.html>

## Literaturverzeichnis

Hamburger Ärzteblatt 09 | 2016

Seite 3

Weidestr. 122 b  
22083 Hamburg

Redaktion

E-Mail: verlag@aeckhh.de

Tel.: (040) 20 22 99 – 205

Fax: (040) 20 22 99 – 400

### S. 30 – 31: Ausreichend Personal für Intensivstationen *Von Prof. Dr. Hanswerner Bause*

1. Beschlüsse: Viele Forderungen an die Politik. Dtsch. Ärztebl 2016; 113(22-23): A-1092 / B-918 / C-902.
2. Valentin A. On behalf of the Research Group on Quality improvement of the European Society of Intensive Care Medicine (ESICM) and the Sentinel Events Evaluation (SEE) Study Investigators. Errors in administration of parenteral drugs in intensive care units: multinational prospective study. MJ 2009;338:b814 doi:10.1136/bmj.b814.
3. Penoyer DA. Nurse staffing and patient outcomes in critical care: a concise review. Crit Care Med. 2010 Jul;38(7):1521-8.
4. Tarnow-Mordi WO, Hau C, Warden A, et al. Hospital mortality in relation to staffwork - load: A 4-year study in an adult intensive care unit. Lancet 2000; 356:185–189.
5. Kane RL, Shamliyan TA, Mueller C, et al. The association of registered nurse staffing levels and patient outcomes: Systematic review and meta-analysis. MedCare 2007; 45:1195–1204.

### S. 34 – 35: Das Ende der Rachitis – Heilen mit Licht *Von Prof. Dr. Philipp Osten*

1. Lennert T. Kurt Huldschinsky und das Kaiserin Auguste Victoria Haus. 1993, 5-19.
2. Osten P. Die Modellanstalt. Über den Aufbau einer „modernen Krüppelfürsorge“ 1905-1933. 2012, 240-57.
3. Huldschinsky K. Heilung der Rachitis durch künstliche Höhensonnen. DMW 1919,45, 712–13.
4. Archiv Oskar-Helene-Heim, Krankenaktenjahrgang 1919:
5. Osten P. Rachitis lässt sich durch ultraviolettes Licht heilen. Berliner Zeitung, 14.4.2007.